

-73-

WE CLAIM:

- 1. An isolated genomic DNA sequence, differentially expressed in seed coat tissues.
- 2. The genomic DNA sequence of claim 1 differentially expressed within the outer integument of the seed coat.
- 3. The genomic DNA sequence of claim 1 differentially expressed within the inner integument of the seed coat.
- 4. The genomic DNA sequence of claim 1 differentially expressed within the thick walled parenchyma of the seed coat.
- 5. The genomic DNA sequence of claim 1 differentially expressed within the thin walled parenchyma of the seed coat.
- 6. The genomic DNA sequence of claim 1 differentially expressed within the endothelium of the seed coat.
- 7. The genomic DNA sequence of claim 1 differentially expressed within the hourglass cells of the seed coat.
- 8. The genomic DNA sequence of claim 1 differentially expressed within the palisade of the seed coat.
- 9. The genomic DNA sequence of claim 1 differentially expressed within the stellate parenchyma of the seed coat.
- 10. The genomic DNA sequence of claim 1 differentially expressed within the membranous endocarp associated with the seed coat.
- 11. A seed-coat promoter obtained from the genomic DNA sequence of claim 1.



- -74-
- 12. The seed-coat promoter of claim 11 that controls the differential expression of a gene associated therewith, within the outer integument of the seed coat.
- 13. The seed-coat promoter of claim 11 that controls the differential expression of a gene associated therewith, within the inner integument of the seed coat.
- 14. The seed-coat promoter of claim 11 that controls the differential expression of a gene associated therewith, within the thick walled parenchyma of the seed coat.
- 15. The seed-coat promoter of claim 11 that provides for differential expression of a gene associated therewith, within the thin walled parenchyma of the seed coat
- 16. The seed-coat promoter of claim 11 that controls the differential expression of a gene associated therewith, within the endothelium of the seed coat.
- 17. The seed-coat promoter of claim 11 that controls the differential expression of a gene associated therewith, within the hourglass cells of the seed coat.
- 18. The seed-coat promoter of claim 11 that controls the differential expression of a gene associated therewith, within the palisade of the seed coat.
- 19. The seed-coat promoter of claim 11 that controls the differential expression of a gene associated therewith, within the stellate parenchyma the seed coat.
- 20. The seed-coat promoter of claim 11 that controls the differential expression of a gene associated therewith, within the membranous endocarp associated with the seed coat.
- 21. The isolated genomic DNA of claim 1 characterized by the restriction map selected from the group consisting of Figure 11 (a), (b), (c) and (d).
- 22. An isolated promoter differentially expressed in seed-coat tissues.
- 23. The promoter of claim 22 obtained from angiosperms.

- 24. The promoter of claim 23 obtained from the group consisting of tobacco or soybean.
- 25. A cloning vector comprising a heterologous gene encoding a protein, and the promoter of claim 22, wherein the heterologous gene is under the control of the promoter.
- 26. A plant cell which has been transformed with a vector as claimed in claim 25.
- 27. A transgenic plant cell containing a promoter as claimed in claim 22, operatively linked to a heterologous gene encoding a protein.
- 28. A seed containing a promoter as claimed in claim 22, operatively linked to a heterologous gene encoding a protein.
- 29. An isolated genomic DNA sequence, preferentially expressed in seed coat tissues.
- 30. A seed-coat promoter obtained from the genomic DNA sequence of claim 29.
- 31. The seed-coat promoter of claim 11 comprising at least 10 contiguous nucleotides of nucleotides 1-2526 of SEQ ID NO:7.
- 32. The seed coat promoter of claim 31 comprising nucleotides 1-2526 of SEQ ID NO:7, or an analogue thereof, wherein said analogue hybridizes to a nucleic acid defined by nucleotides 1-2526 of SEQ ID NO:7 under stringent hybridization conditions and maintains seed-coat, or seed-coat associated promoter activity.
- The seed-coat promoter of claim 11 comprising at least 10 contiguous nucleotides of nucleotides 1-2450 of SEQ ID NO:8.
- 34. The seed coat promoter of claim 33 comprising nucleotides 1-2450 of SEQ ID NO:8, or an analogue thereof, wherein said analogue hybridizes to a nucleic acid defined by nucleotides 1-2450 of SEQ ID NO:8 under stringent hybridization conditions and maintains seed-coat, or seed-coat associated promoter activity.



35. The seed-coat promoter of claim 11 comprising at least 10 contiguous nucleotides of nucleotides 1-5514 of SEQ ID NO:9.

-76-

- 36. The seed coat promoter of claim 35 comprising nucleotides 1-5514 of SEQ ID NO:9 or an analogue there, wherein said analogue hybridizes to a nucleic acid defined by nucleotides 1-5514 of SEQ ID NO:9 under stringent hybridization conditions and maintains seed-coat, or seed-coat associated promoter activity.
- 37. A cloning vector comprising a heterologous gene encoding a protein, and the promoter of any one of claims 32, 34 or 36 wherein the heterologous gene is under the control of the promoter.
- 38. A plant cell which has been transformed with a vector as claimed in claim 37.
- 39. A transgenic plant cell containing a promoter as claimed in claim 38, operatively linked to a heterologous gene encoding a protein.
- 40. A seed containing a promoter as claimed in any one of claims 32, 34 or 36, operatively linked to a heterologous gene encoding a protein.

38.
39.
39.